



SEQUENCE LISTING

<110> Cuenoud, Bernard
Altmann, Karl-Heinz
Martin, Pierre
Moser, Heinz Ernst

<120> 2'-Substituted Nucleosides and
Oligonucleotide Derivatives

<130> 4-20890B/C1

<140> US 10/696,488

<141> 2003-10-29

<150> US 09/753,943

<151> 2001-01-03

<150> US 09/194,844

<151> 1999-05-14

<150> PCT/EP97/02738

<151> 1998-05-27

<150> Switzerland 1432/96

<151> 1996-06-06

<160> 22

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 20

<212> RNA

<213> Homo sapiens

<400> 1

aaugcauguc acaggcggga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (1)...(20)

<223> at least one modified sugar residue

<400> 2

tcccgcctgt gacatgcatt

20

<210> 3

<211> 15

<212> DNA

<213> Artificial Sequence

<220>
 <223> Mammalian

 <221> misc_feature
 <222> (5)...(0)
 <223> 2'-substituted sugar at position 5

 <400> 3
 tttttctctc tctct 15

 <210> 4
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> 5, 7, 9, 11, 13
 <223> 2'-substituted sugar at positions 5, 7, 9, 11 and
 13

 <400> 4
 tttttctctc tctct 15

 <210> 5
 <211> 16
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> 1, 7, 9 15
 <223> 2'-substituted sugar at positions 1, 7, 9, and 15

 <400> 5
 tccaggtgtc cgcac 16

 <210> 6
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> (1)...(5)
 <223> 2'-substituted sugar at positions 1-5

 <400> 6
 tttttctctc tctct 15

 <210> 7

<211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> (5)...(14)
 <223> 2'-substituted sugar

 <221> modified_base
 <222> 6, 8 10, 12, 14
 <223> m5c

<400> 7
 tttttctctc tctct

15

<210> 8
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> (1)...(14)
 <223> 2'-substituted sugar

 <221> modified_base
 <222> 6, 8, 10, 12, 14
 <223> m5c

<400> 8
 tttttctctc tctct

15

<210> 9
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> (5)...(14)
 <223> 2'-substituted sugar

 <221> modified_base
 <222> 6, 8, 10, 12, 14
 <223> m5c

<400> 9
 tttttctctc tctct

15

<210> 10
 <211> 15
 <212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (11)...(0)

<223> 2'-substituted sugar

<400> 10

agagagagag aaaaa

15

<210> 11

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> 3, 5, 7, 9, 11

<223> 2'-substituted sugar

<400> 11

agagagagag aaaaa

15

<210> 12

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (11)...(14)

<223> 2'-substituted sugar

<400> 12

agagagagag aaaaa

15

<210> 13

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (2)...(11)

<223> 2'-substituted sugar

<400> 13

agagagagag aaaaa

15

<210> 14

<211> 13

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> 4, 6, 12
 <223> 2'-substituted sugar

 <400> 14
 aggtgtccgc atc 13

 <210> 15
 <211> 16
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

 <221> misc_feature
 <222> (13)...(15)
 <223> 2'-substituted sugar

 <400> 15
 tccaggtgtc cgtttc 16

 <210> 16
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian-Target DNA

 <400> 16
 gctaaaaaga gagagagatc g 21

 <210> 17
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian-Opposite strand of target DNA SEQ ID NO:
 16

 <400> 17
 cgatctctct ctcttttttag c 21

 <210> 18
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mammalian

<221> misc_feature
<222> (1)...(20)
<223> phosphorothioate backbone

<221> misc_feature
<222> 2, 4, 15, 17, 19
<223> 2'-substituted sugar

<400> 18
tcccgctgt gacatgcatt

20

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Mammalian

<221> misc_feature
<222> (6)...(15)
<223> phosphorothioate backbone

<221> misc_feature
<222> (1)...(5)
<223> 2'-substituted sugar

<221> misc_feature
<222> (15)...(19)
<223> 2'-substituted sugar

<400> 19
tcccgctgt gacatgcatt

20

<210> 20
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Mammalian

<221> misc_feature
<222> (1)...(20)
<223> phosphorothioate backbone

<221> misc_feature
<222> (1)...(5)
<223> 2'-substituted sugar

<221> misc_feature
<222> (15)...(19)
<223> 2'-substituted sugar

<400> 20
tcccgctgt gacatgcatt

20

<210> 21
<211> 20
<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (6)...(15)

<223> phosphorothioate backbone

<221> misc_feature

<222> (1)...(5)

<223> 2'-substituted sugar

<221> misc_feature

<222> (15)...(19)

<223> 2'-substituted sugar

<400> 21

tcccgctgt gacatgcatt

20

<210> 22

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Mammalian

<221> misc_feature

<222> (1)...(20)

<223> phosphorothioate backbone

<221> misc_feature

<222> (1)...(5)

<223> 2'-substituted sugar

<221> misc_feature

<222> (15)...(19)

<223> 2'-substituted sugar

<400> 22

tcccgctgt gacatgcatt

20